# Climate Policy in (and beyond) California: Some Economic and Political Perspectives

Lawrence H. Goulder Stanford University

## Cap-and-Trade Policy Design Criteria


- 1. Environmental integrity
- 2. Cost-effectiveness
- 3. Fairness
- 4. Simplicity

What sectors to cover?

- What sectors to cover?
  - All major energy and manufacturing sectors

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?

#### California Greenhouse Gas Emissions, 2004



- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?
  - Move toward 100% auctioning

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?
  - Move toward 100% auctioning
- Should the program allow for "offsets?"

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?
  - Move toward 100% auctioning
- Should the program allow for "offsets?"
  - Yes, but only where they are clearly additional and verifiable

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?
  - Move toward 100% auctioning
- Should the program allow for "offsets?"
  - Yes, but only where they are clearly additional and verifiable
- How to avoid electricity-sector "emissions leakage?"

- What sectors to cover?
  - All major energy and manufacturing sectors
- What greenhouse gases to include?
  - Carbon dioxide (and, in certain cases, process emissions of HFCs, PFCs, and SF6)
- How should allowances be allocated?
  - Move toward 100% auctioning
- Should the program allow for "offsets?"
  - Yes, but only where they are clearly additional and verifiable
- How to avoid electricity-sector "emissions leakage?"
  - Include emissions associated with imported electricity

1. Direct Regulation vs. Cap-and-Trade

# A Cap-and-Trade System Complements Direct Regulation

Suppose the cap requires a reduction of 50 million metric tons in the electricity and industrial sectors.

If new direct regulations (e.g., tighter efficiency standards) in these sectors yield reductions of 20 million tons – this contributes to the 50 million target.

The limited supply of allowances assures a total of 50 million tons in reductions. Allowance prices will rise enough to bring about the needed additional 30 million tons of reduction.

-- Direct regulation contributes to meeting the cap!

- 1. Direct Regulation vs. Cap-and-Trade
- 2. Technology-Push Policy vs. Cap-and-Trade

- 1. Direct Regulation vs. Cap-and-Trade
- 2. Technology-Push Policy vs. Cap-and-Trade
- 3. Promoting a Fair Distribution of the Regulatory Burden


# Free Allocation vs. Auctioning of Allowances

Must a cap&trade system hurt profits of major energy suppliers and users?

-- No!

- 1. Direct Regulation vs. Cap-and-Trade
- 2. Technology-Push Policy vs. Cap-and-Trade
- 3. Promoting a Fair Distribution of the Regulatory Burden
- 4. Leakage

# Load-Based and First-Seller Approaches to Leakage



# Does the Load-Based Approach Lead to Greater Energy Conservation?

#### Suppose:

allowance price is \$10/ton each kwh of electricity involves X tons of emissions

Cost to the LSE of each additional kwh of electricity purchased:

-- load-based approach: \$10\*X (cost of X more allowances)

-- first-seller approach: \$10\*X (higher cost of electricity)

- 1. Direct Regulation vs. Cap-and-Trade
- 2. Technology-Push Policy vs. Cap-and-Trade
- 3. Promoting a Fair Distribution of the Regulatory Burden
- 4. Leakage
- 5. Linkage (and offsets)

- 1. Direct Regulation vs. Cap-and-Trade
- 2. Technology-Push Policy vs. Cap-and-Trade
- 3. Promoting a Fair Distribution of the Regulatory Burden
- 4. Leakage
- 5. Linkage (and offsets)
- 6. Move to a National System

1. A cap-and-trade system:

1. A cap-and-trade system:

-- need not and should not preclude direct regulation

- 1. A cap-and-trade system:
- -- need not and should not preclude direct regulation
- -- should be accompanied by direct innovation-promoting policies

- 1. A cap-and-trade system:
- -- need not and should not preclude direct regulation
- -- should be accompanied by direct innovation-promoting policies
- -- can be designed to be cost-effective while avoiding significant hardship to key energy industries

- 1. A cap-and-trade system:
- -- need not and should not preclude direct regulation
- -- should be accompanied by direct innovation-promoting policies
- -- can be designed to be cost-effective while avoiding significant hardship to key energy industries
- 2. CA's leadership offers large potential benefits. But it also introduces significant challenges in par., leakage issues.

- 1. A cap-and-trade system:
- -- need not and should not preclude direct regulation
- -- should be accompanied by direct innovation-promoting policies
- -- can be designed to be cost-effective while avoiding significant hardship to key energy industries
- 2. CA's leadership offers large potential benefits. But it also introduces significant challenges in par., leakage issues.
- -- hope that a Western regional system takes effect not long after the CA system is introduced

- 1. A cap-and-trade system:
- -- need not and should not preclude direct regulation
- -- should be accompanied by direct innovation-promoting policies
- -- can be designed to be cost-effective while avoiding significant hardship to key energy industries
- 2. CA's leadership offers large potential benefits. But it also introduces significant challenges in par., leakage issues.
- -- hope that a Western regional system takes effect not long after the CA system is introduced
- -- hope that a Federal system arrives and replaces the CA system